

Atty. Docket No.: 510.1086

CJE

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Examiner: Hilary L. GUTMAN

Group Art Unit: 3612

Re: Application of: Thomas KRAENZLER, et al.

Serial No.: 10/690,706

Filed: October 21, 2003

For: THERMALLY COMFORTABLE GLASS

Patent No.: US 6,910,729 B2

Dated: June 28, 2005

Customer No.: 23280

Certificate

SEP 06 2005

of Correction

Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

August 29, 2005

REQUEST FOR CERTIFICATE OF CORRECTION UNDER 37 C.F.R. §1.322

Sir:

Patentees hereby submit and respectfully request entry of the enclosed Certificate of Correction under 37 C.F.R. §1.322.

In the patent publication, paragraph [0016] is missing. In column 3, between line 16 and line 17, please add the following paragraph, submitted with the application as paragraph [0016]:
The glass provided with SPD films is typically designed as laminated safety glass, the SPD film being layered in the middle between two panes of silicate glass. However, it is also possible to provide the film on the inside or outside of single-layer glass, preferably safety glass. In this configuration, another film or coating is suitable for protecting against mechanical damage, for example weathering effects.

SEP 07 2005


If any fees are deemed necessary in connection with this request the Assistant Commissioner is hereby authorized to charge payment of such fees to Deposit Account No. 50-0552. In such event the Examiner is requested to contact the undersigned at the telephone number provided below.

Respectfully submitted,
DAVIDSON, DAVIDSON & KAPPEL, LLC

By: 
William C. Gehris, Reg. No. 38,156

Davidson, Davidson & Kappel, LLC
485 Seventh Avenue, 14th Floor
New York, New York 10018
(212) 736-1940

I hereby certify that the documents referred to as attached therein and fee are being deposited with the United States Postal Service as first class mail with sufficient postage in an envelope addressed to "Mail Stop Certificate of Correction Branch Commissioner for Patents, P.O. Box 1450, Alexandria, VA 223131450" on August 29, 2005.
DAVIDSON, DAVIDSON & KAPPEL, LLC

BY: 
Oliver Platz

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : US 6,910,729 B2

DATED : June 28, 2005

INVENTOR(S) : Thomas KRAENZLER; Andreas LEUPOLZ, Werner SCHREBER

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

In column 3, between line 16 and line 17, please add paragraph [0016] as submitted with the application and posted below:

The glass provided with SPD films is typically designed as laminated safety glass, the SPD film being layered in the middle between two panes of silicate glass. However, it is also possible to provide the film on the inside or outside of single-layer glass, preferably safety glass. In this configuration, another film or coating is suitable for protecting against mechanical damage, for example weathering effects.

MAILING ADDRESS OF SENDER: DAVIDSON, DAVIDSON & KAPPEL, LLC
485 Seventh Avenue
New York, NY 10021

PATENT NO. 6,910,729 B2

No. of additional copies

 5

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

SEP 07 2005